

ERRATA

Multicenter Comparative Evaluation of Two Rapid Microscopic Methods and Culture for Detection of *Chlamydia trachomatis* in Patient Specimens

RICHARD C. TILTON, FRANKLYN N. JUDSON, ROBERT C. BARNES, ROBERT P. GRUNINGER,
RAYMOND W. RYAN, AND OLAFUR STEINGRIMSSON

University of Connecticut School of Medicine, Farmington, Connecticut 06032; Centers for Disease Control, Atlanta, Georgia 30333; Hennepin County Medical Center, Minneapolis, Minnesota 55415; Denver Public Health Department and University of Colorado Health Sciences Center, Denver, Colorado 80202; and University of Iceland, Reykjavik, Iceland

Volume 26, no. 2, p. 169, column 2, line 2: “. . .which is a genus-specific polyclonal antibody. . .” should read “. . .which utilizes a genus-specific monoclonal antibody. . . .”

Immunoblot Analysis of Humoral Immune Responses following Infection with *Bordetella pertussis* or Immunization with Diphtheria-Tetanus-Pertussis Vaccine

STEPHEN C. REDD, HELLA S. RUMSCHLAG, ROBIN J. BIELLIK, GARY N. SANDEN, CHARLES B. REIMER, AND
MITCHELL L. COHEN

Center for Infectious Diseases and Center for Prevention Services, Centers for Disease Control, Atlanta, Georgia 30333

Volume 26, no. 7, p. 1374, paragraph 2, line 16: “25 μ g” should read “25 mg.”